

TYRES

Product group	Tyres
Item number	10000027
Valid tyre size	VF 710 / 60 R 38
LI / SI / PR	174 D / 171 E
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM1000PT



Bohnenkamp
Moving Professionals


TRELLEBORG

Notes and features

- The Trelleborg TM1000 Progressive Traction is a VF tyre for high performance tractors.
- Its special lugs with double edge ensure very good grip and low slippage.
- Compared to standard tyres, it offers up to 40% higher load capacity at the same air pressure or the same load capacity at 40% less air pressure.
- The tyre offers very high load capacities, low soil compaction and excellent traction.

Technical Informations

Item number	10000027
EAN	8059971029222
Valid tyre size	VF 710 / 60 R 38
LI / SI / PR	174 D / 171 E
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM1000PT
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	295,29
Recommended rim size	DW25B
Permitted rim size	TW25B
Section width (mm)	710
Outer diameter of tyre [mm].	1840
Stat. radius (SLR) [mm]	805
Speed Radius Index (SRI)	875
Rolling circumference [mm].	5505
Tread depth (mm)	62,0
Number of lugs	21x2
Tyre capacity 75% [ltr.]	615.00
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
174 D	6700	65		2,00	
171 E	6150	70		2,00	