

TYRES

Product group	Tyres
Item number	10000141
Valid tyre size	710 / 50 R 30.5
LI / SI / PR	176 D
TL/TT	TL
Brand	Alliance
Tread pattern	Flotation 331 Radial



Notes and features

- The Alliance 331 is perfectly suited to on- and off-road agricultural applications e.g. for tractors, agricultural trailers and similar vehicles
- Its main characteristics are a high load capacity and low inflation pressure
- The strong steel belt construction and rubber compound ensure a long service life

Technical Informations

Item number	10000141
EAN	7291050063029
Valid tyre size	710 / 50 R 30.5
LI / SI / PR	176 D
TL/TT	TL
Brand	Alliance
Tread pattern	Flotation 331 Radial
Carcass properties	HD
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	191,50
Recommended rim size	AG24.00
Maximum air pressure [bar].	4,00
Section width (mm)	700
Outer diameter of tyre [mm].	1500
Stat. radius (SLR) [mm]	674
Speed Radius Index (SRI)	725
Rolling circumference [mm].	4570
Contact area [cm ²]	2460
Tread depth (mm)	40,0
Number of lugs	23x2
Tyre capacity 75% [ltr.]	493.80
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
176 D	7100	65		4,00	