

## TYRES

Product group	Tyres
Item number	10000686
Valid tyre size	710 / 45 - 26.5
LI / SI / PR	168 A8, 20PR
TL/TT	TT
Brand	Alliance
Tread pattern	Forestar 643 III



## Notes and features

- The Alliance Forestar 643 III is a forestry tyre for timber transporters, timber harvesting vehicles and trailers.
- Its special tread pattern is ideal for combining with chains.
- But even without chains, this tyre offers very good grip even under difficult conditions in the forest.
- Thanks to its outstanding stability, good self-cleaning properties and robust construction, the tyre is ideally suited for forestry use.

## Technical Informations

Item number	10000686
EAN	8903635022916
Valid tyre size	710 / 45 - 26.5
LI / SI / PR	168 A8, 20PR
TL/TT	TT
Brand	Alliance
Tread pattern	Forestar 643 III
TRA Code	LS-2
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	229,20
Recommended rim size	AG24.00
Maximum air pressure [bar].	5,00
Section width (mm)	695
Outer diameter of tyre [mm].	1340
Stat. radius (SLR) [mm]	623
Speed Radius Index (SRI)	650
Rolling circumference [mm].	4126
Contact area [cm <sup>2</sup> ]	1665.2
Tread depth (mm)	38,0
Number of lugs	17x2
Tyre capacity 75% [ltr.]	425
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
168 A8	5600	40		5,00	