

## TYRES

Product group	Tyres
Item number	10000920
Valid tyre size	380 / 70 R 28
LI / SI / PR	130 A8 / 127 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Factor



Bohnenkamp  
■ ■ ● Moving Professionals



## Notes and features

- The BKT Agrimax Factor is a new type of 70 series radial tyre for tillage tractors.
- Its tractor pattern with extended lugs provides good ride comfort.
- The reduced lug angle allows for reduced rolling resistance.
- The large contact area ensures smooth running.
- The strong polyester carcass provides excellent lateral stability and steering response even at higher speeds.

## Technical Informations

Item number	10000920
EAN	8903094070954
Valid tyre size	380 / 70 R 28
LI / SI / PR	130 A8 / 127 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Factor
Carcass properties	E-Ready
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	76,16
Recommended rim size	W12
Permitted rim size	W11, W13
Maximum air pressure [bar].	1,60
Section width (mm)	380
Outer diameter of tyre [mm].	1293
Stat. radius (SLR) [mm]	588
Speed Radius Index (SRI)	625
Rolling circumference [mm].	3836
Tread depth (mm)	41,0
Number of lugs	23x2
E-Ready	Yes

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
130 A8	1900	40		1,60	
127 D	1750	65		1,60	