

TYRES

| | |
|-----------------|----------------|
| Product group | Tyres |
| Item number | 10001027 |
| Valid tyre size | 230 / 95 R 36 |
| LI / SI / PR | 130 A8 / 130 B |
| TL/TT | TL |
| Brand | Trelleborg |
| Tread pattern | TM100 |



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- Particularly suitable for work on row crops.
- Good ride comfort.
- Narrow radial tyre.

Technical Informations

| | |
|------------------------------|----------------|
| Item number | 10001027 |
| EAN | 8059971030952 |
| Valid tyre size | 230 / 95 R 36 |
| LI / SI / PR | 130 A8 / 130 B |
| TL/TT | TL |
| Brand | Trelleborg |
| Tread pattern | TM100 |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | not necessary |
| Nettogewicht [kg] (gültig) | 51,30 |
| Recommended rim size | 7 |
| Permitted rim size | 6 |
| Maximum air pressure [bar]. | 4,00 |
| Section width (mm) | 235 |
| Outer diameter of tyre [mm]. | 1365 |
| Stat. radius (SLR) [mm] | 645 |
| Rolling circumference [mm]. | 4210 |
| Tread depth (mm) | 33,0 |
| Number of lugs | 21x2 |
| Lug width (mm) | 31 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 130 A8 | 1900 | 40 | | 4,00 | |
| 130 B | 1900 | 50 | | 4,00 | |