

## TYRES

Product group	Tyres
Item number	10001041
Valid tyre size	600 / 55 - 26.5
LI / SI / PR	172 A2 / 165 A8, 20 PR
TL/TT	TT
Brand	Trelleborg
Tread pattern	T440



## Notes and features

- The Trelleborg Twin Forestry T440 is a forestry tyre for use on forestry tractors.
- Its tractor tread pattern with clod-breaking edges between the lugs ensures very good self-cleaning and excellent traction on clay, mud, ice and snow.
- Lugs with transverse edges and reinforced tyre shoulders enable efficient use of the tyre with belts.

**Technical Informations**

<b>Item number</b>	10001041
<b>EAN</b>	8059971026269
<b>Valid tyre size</b>	600 / 55 - 26.5
<b>LI / SI / PR</b>	172 A2 / 165 A8, 20 PR
<b>TL/TT</b>	TT
<b>Brand</b>	Trelleborg
<b>Tread pattern</b>	T440
<b>TRA Code</b>	LS-2
<b>Carcass properties</b>	Steel Belted
<b>Antistatic</b>	No
<b>Tyre colour</b>	Black
<b>Nettogewicht [kg] (gültig)</b>	192,88
<b>Recommended rim size</b>	AG20.00
<b>Maximum air pressure [bar].</b>	5,00
<b>Section width (mm)</b>	600
<b>Outer diameter of tyre [mm].</b>	1340
<b>Stat. radius (SLR) [mm]</b>	626
<b>Rolling circumference [mm].</b>	4050
<b>Tread depth (mm)</b>	45,0
<b>Number of lugs</b>	18x2
<b>Tyre capacity 75% [litr.]</b>	311
<b>E-Ready</b>	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
172 A2	6300	10		5,00	
165 A8	5150	40		5,00	