

## TYRES

Product group	Tyres
Item number	10001234
Valid tyre size	420 / 70 R 24
LI / SI / PR	137 A8 / 134 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Factor



## Notes and features

- The BKT Agrimax Factor is a new type of 70 series radial tyre for tillage tractors.
- Its tractor pattern with extended lugs provides good ride comfort.
- The reduced lug angle allows for reduced rolling resistance.
- The large contact area ensures smooth running.
- The strong polyester carcass provides excellent lateral stability and steering response even at higher speeds.

**Technical Informations**

<b>Item number</b>	10001234
<b>EAN</b>	8903094070947
<b>Valid tyre size</b>	420 / 70 R 24
<b>LI / SI / PR</b>	137 A8 / 134 D
<b>TL/TT</b>	TL
<b>Brand</b>	BKT
<b>Tread pattern</b>	Agrimax Factor
<b>Carcass properties</b>	E-Ready
<b>Antistatic</b>	No
<b>Tyre colour</b>	Black
<b>ECE regulation number</b>	ECE 106
<b>Nettogewicht [kg] (gültig)</b>	80,80
<b>Recommended rim size</b>	W13
<b>Permitted rim size</b>	W12, W14L
<b>Maximum air pressure [bar].</b>	2,00
<b>Section width (mm)</b>	418
<b>Outer diameter of tyre [mm].</b>	1248
<b>Stat. radius (SLR) [mm]</b>	563
<b>Speed Radius Index (SRI)</b>	600
<b>Rolling circumference [mm].</b>	3696
<b>Tread depth (mm)</b>	43,0
<b>Number of lugs</b>	20x2
<b>E-Ready</b>	Yes

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
137 A8	2300	40		2,00	
134 D	2120	65		2,00	