

TYRES

Product group	Tyres
Item number	10001545
Valid tyre size	240 / 60 R 12
LI / SI / PR	89 A8 / 89 B
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Turf RT 333



Notes and features

- The BKT Agrimax Turf RT 333 is a radial tyre for small tractors in gardening, wine or fruit cultivation.
- Its rounded tyre shoulder ensures low soil compaction and prevents damage to delicate soils.
- Thanks to the special directional block tread and the high tread pattern depth, the tyre provides good traction in the field and on the road and a long service life.
- Furthermore, the tyre has excellent self-cleaning properties.

Technical Informations

Item number	10001545
EAN	8903094070657
Valid tyre size	240 / 60 R 12
LI / SI / PR	89 A8 / 89 B
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Turf RT 333
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	14,03
Recommended rim size	W7
Permitted rim size	W8
Maximum air pressure [bar].	2,40
Section width (mm)	242
Outer diameter of tyre [mm].	592
Stat. radius (SLR) [mm]	269
Speed Radius Index (SRI)	825
Rolling circumference [mm].	1777
Tread depth (mm)	14,5
Number of lugs	24x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
89 A8	580	40		2,40	
89 B	580	50		2,40	