

TYRES

Product group	Tyres
Item number	10002307
Valid tyre size	28 L - 26
LI / SI / PR	177 A2 / 165 A6, 20 PR
TL/TT	TL
Brand	Maxam
Tread pattern	MS931 LOGXTRA



MAXAM

Notes and features

- The Maxam MS931 LOGXTRA is a bias forestry tyre for skidders, loggers and similar forestry machines.
- Its high-strength, steel-reinforced construction ensures excellent traction.
- The robust tyre shoulder and sidewall as well as the cut-resistant rubber compound protect the tyre from damage.
- The particularly large contact area guarantees very good flotation on wet and muddy ground.
- The nylon-wrapped tyre bead prevents the tyre from coming off the rim during forestry work in difficult conditions.

Technical Informations

Item number	10002307
EAN	6959655434934
Valid tyre size	28 L - 26
LI / SI / PR	177 A2 / 165 A6, 20 PR
TL/TT	TL
Brand	Maxam
Tread pattern	MS931 LOGXTRA
TRA Code	LS-2
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	357,68
Recommended rim size	DW25B
Maximum air pressure [bar].	2,75
Section width (mm)	710
Outer diameter of tyre [mm].	1628
Stat. radius (SLR) [mm]	752
Speed Radius Index (SRI)	775
Rolling circumference [mm].	5013
Tread depth (mm)	61,0
Number of lugs	15x2
Tyre capacity 75% [ltr.]	541
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
177 A2	7300	10		2,75	