

## WHEELS

Product group	Wheels
Item number	10003305
Valid wheel size	33 x 12 - 20 / 7.5
Brand	Galaxy
Tread pattern	Beefy Baby SDS
Valid rim size	7.5 - 20
Rim connection	6/161/205
Bolt hole design	A2
Offset (mm)	+35
Rim colour	Silver
Load capacity complete wheel [kg]	4720
Speed complete wheel [km/h]	10
RDRA (Reifendruckregelanlage)	No
RDKS (Reifendruckkontrollsystem)	No



**GALAXY**

## Technical Informations

Assembly Item no. Tyres	• 12025255
Carcass properties	LIP Solid Rubber
Direction	Right
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	144,00
ECE regulation number	not necessary
Section width (mm)	285
E-Ready	No

Assembly Item no. Rim	• 10003248
Load capacity of rim 1 [kg]	4000
Speed Rims 1 [km/h]	25
Load capacity of rim 2 [kg]	5200
Speed Rims 2 [km/h]	25
Maximum speed [km/h].	25
Number of bolt holes	6
Bolt hole design EUWA	B18 ES 32
hub hole diameter [mm].	161
Bolt hole circle diameter [mm]	205
Bolt hole diameter [mm]	21.5
Countersinking	Sphere
Spherical countersink [mm].	R16
Type of drive	Angetriebene & gezogene Achse
Hump	kein Hump
Single / multi-part	mehrteilig
Quantity multi-piece	one-part
Rim centering	BC
Rim material	steel
RAL	RAL9006
Cavity Sealed	No
Rim design industry	Lip
Disc thickness [mm]	13
Knurling	without knurling
Ventilation holes	No
Verschweißung beidseitig	No
Preassembled valve	No

---

TPMS-kompatibles Ventil
-------------------------

No
----