

TYRES

Product group	Tyres
Item number	10003326
Valid tyre size	405 / 70 R 20
LI / SI / PR	136 G
TL/TT	TL
Brand	Alliance
Tread pattern	570



Notes and features

- Radial multipurpose tyre for a wide variety of applications.
- Specially suited for use on harvesters.
- Agricultural tractor pattern for good traction when operating on arable land.
- High load capacities even with low inflation pressures.
- Radial textile casing with steel belt reinforcement.

Technical Informations

Item number	10003326
EAN	8903635058557
Valid tyre size	405 / 70 R 20
LI / SI / PR	136 G
TL/TT	TL
Brand	Alliance
Tread pattern	570
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54
Nettogewicht [kg] (gültig)	68,30
Recommended rim size	13
Maximum air pressure [bar].	4,00
Section width (mm)	421
Outer diameter of tyre [mm].	1080
Stat. radius (SLR) [mm]	499.5
Speed Radius Index (SRI)	500
Rolling circumference [mm].	3281
Contact area [cm ²]	778.7
Tread depth (mm)	26,0
Number of lugs	19x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
136 G	2240	90		4,00	