

TYRES

Product group	Tyres
Item number	10003701
Valid tyre size	460 / 85 R 38
LI / SI / PR	149 A8 / 149 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Sonderpostenkategorie	Damaged
type of damage	Dismounted,Stud damage



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10003701
EAN	4040658129438
Valid tyre size	460 / 85 R 38
LI / SI / PR	149 A8 / 149 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	140,10
Recommended rim size	16
Permitted rim size	14, 15
Maximum air pressure [bar].	1,60
Section width (mm)	508
Outer diameter of tyre [mm].	1768
Stat. radius (SLR) [mm]	805
Speed Radius Index (SRI)	825
Rolling circumference [mm].	5280
Tread depth (mm)	51,0
Number of lugs	22x2
Lug width (mm)	45
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
149 A8	3250	40		1,60	
149 B	3250	50		1,60	