

## TYRES

Product group	Tyres
Item number	10003838
Valid tyre size	315 / 60 R 22.5
LI / SI / PR	152 / 148 M, 16 PR
TL/TT	TL
Brand	Fullrun
Tread pattern	TB766
Sonderpostenkategorie	DOT
type of damage	DOT



Bohnenkamp  
■ ■ ● Moving Professionals



## Notes and features

- The Fullrun TB766 is a truck tyre for steering axles.
- Its groove tread pattern provides very good steering characteristics.
- The tyre enables high load capacities at high speeds.

**Technical Informations**

Item number	10003838
EAN	4040658130939
Valid tyre size	315 / 60 R 22.5
LI / SI / PR	152 / 148 M, 16 PR
TL/TT	TL
Brand	Fullrun
Tread pattern	TB766
M+S	M+S
3PMSF	3PMSF
Axle position truck	FA/TR
Rolling resistance	C
Wet grip	C
Rolling noise [db].	71
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 117,ECE 54
Nettogewicht [kg] (gültig)	48,41
Maximum air pressure [bar].	9,00
Section width (mm)	316
Outer diameter of tyre [mm].	949
Tread depth (mm)	13,5
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
152 M	3550	130	Single	9,00	
148 M	3150	130	Twin	9,00	