

TYRES

Product group	Tyres
Item number	10003876
Valid tyre size	215 / 75 R 17.5
LI / SI / PR	135 / 133 J, 16 PR
TL/TT	TL
Brand	Fullrun
Tread pattern	TB888
Sonderpostenkategorie	DOT
type of damage	DOT



Notes and features

- The Fullrun TB888 is a truck tyre for trailer axles.
- Its groove tread pattern provides very good steering stability and comfortable and safe handling.
- Small slots in the tread allow excellent grip.

Technical Informations

Item number	10003876
EAN	4040658131318
Valid tyre size	215 / 75 R 17.5
LI / SI / PR	135 / 133 J, 16 PR
TL/TT	TL
Brand	Fullrun
Tread pattern	TB888
M+S	M+S
3PMSF	3PMSF
Axle position truck	TR
Rolling resistance	D
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	26,97
Recommended rim size	6.00
Maximum air pressure [bar].	8,65
Section width (mm)	211
Outer diameter of tyre [mm].	767
Rolling circumference [mm].	2339
Tread depth (mm)	12,5
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
135 J	2180	100	Single	8,65	
133 J	2060	100	Twin	8,65	