

## TYRES

Product group	Tyres
Item number	10003879
Valid tyre size	VF 600 / 70 R 30
LI / SI / PR	170 D / 167 E
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM1000PT
Sonderpostenkategorie	Disassembled
type of damage	Dismounted



  
**TRELLEBORG**

## Notes and features

- The Trelleborg TM1000 Progressive Traction is a VF tyre for high performance tractors.
- Its special lugs with double edge ensure very good grip and low slippage.
- Compared to standard tyres, it offers up to 40% higher load capacity at the same air pressure or the same load capacity at 40% less air pressure.
- The tyre offers very high load capacities, low soil compaction and excellent traction.

## Technical Informations

Item number	10003879
EAN	4040658131325
Valid tyre size	VF 600 / 70 R 30
LI / SI / PR	170 D / 167 E
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM1000PT
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	190,15
Recommended rim size	DW21B
Permitted rim size	DW20B
Maximum air pressure [bar].	2,40
Section width (mm)	615
Outer diameter of tyre [mm].	1600
Stat. radius (SLR) [mm]	695
Speed Radius Index (SRI)	750
Rolling circumference [mm].	4785
Tread depth (mm)	57,0
Number of lugs	20x2
Tyre capacity 75% [ltr.]	428.00
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
170 D	6000	65		2,40	
167 E	5450	70		2,40	