

TYRES

| | |
|-----------------|-------------------|
| Product group | Tyres |
| Item number | 10165200 |
| Valid tyre size | 195 / 70 R 15 C |
| LI / SI / PR | 104 / 102 R, 8 PR |
| TL/TT | TL |
| Brand | Onyx |
| Tread pattern | NY-AS 687 |



Notes and features

- The Onyx NY-AS 687 is an all-season tyre for vans.
- Its tread pattern provides a very good performance on dry, wet and snow-covered roads.
- Three circumferential, jagged grooves prevent aquaplaning and ensure driving safety in difficult weather conditions.
- Small sipes on the tread ribs improve adhesion in rain and snow.
- The high-grip silica compound guarantees good driving performance and low rolling resistance.

Technical Informations

| | |
|------------------------------|-------------------|
| Item number | 10165200 |
| EAN | 6953913188454 |
| Valid tyre size | 195 / 70 R 15 C |
| LI / SI / PR | 104 / 102 R, 8 PR |
| TL/TT | TL |
| Brand | Onyx |
| Tread pattern | NY-AS 687 |
| M+S | M+S |
| 3PMSF | 3PMSF |
| Rolling resistance | D |
| Wet grip | D |
| Rolling noise [db]. | 73 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 11,30 |
| Recommended rim size | 6J |
| Permitted rim size | 5.50J |
| Maximum air pressure [bar]. | 4,50 |
| Section width (mm) | 201 |
| Outer diameter of tyre [mm]. | 655 |
| Tread depth (mm) | 9,7 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 104 R | 900 | 170 | Single | 4,50 | |
| 102 R | 850 | 170 | Twin | 4,50 | |