

TYRES

| | |
|-----------------|-------------------|
| Product group | Tyres |
| Item number | 10165230 |
| Valid tyre size | 195 / 75 R 16 C |
| LI / SI / PR | 107 / 105 R, 8 PR |
| TL/TT | TL |
| Brand | Onyx |
| Tread pattern | NY-AS 687 |



Notes and features

- The Onyx NY-AS 687 is an all-season tyre for vans.
- Its tread pattern provides a very good performance on dry, wet and snow-covered roads.
- Three circumferential, jagged grooves prevent aquaplaning and ensure driving safety in difficult weather conditions.
- Small sipes on the tread ribs improve adhesion in rain and snow.
- The high-grip silica compound guarantees good driving performance and low rolling resistance.

Technical Informations

| | |
|------------------------------|-------------------|
| Item number | 10165230 |
| EAN | 6953913188478 |
| Valid tyre size | 195 / 75 R 16 C |
| LI / SI / PR | 107 / 105 R, 8 PR |
| TL/TT | TL |
| Brand | Onyx |
| Tread pattern | NY-AS 687 |
| M+S | M+S |
| 3PMSF | 3PMSF |
| Rolling resistance | D |
| Wet grip | D |
| Rolling noise [db]. | 73 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 12,40 |
| Recommended rim size | 5.50J |
| Permitted rim size | 5J, 6J |
| Maximum air pressure [bar]. | 4,75 |
| Section width (mm) | 196 |
| Outer diameter of tyre [mm]. | 698 |
| Tread depth (mm) | 9,7 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 107 R | 975 | 170 | Single | 4,75 | |
| 105 R | 925 | 170 | Twin | 4,80 | |