

TYRES

Product group	Tyres
Item number	10165540
Valid tyre size	215 / 70 R 15 C
LI / SI / PR	109 / 107 R, 8 PR
TL/TT	TL
Brand	Onyx
Tread pattern	NY-06



Notes and features

- The Onyx NY-06 is a summer tyre for light trucks and transporters.
- Its zigzag circumferential grooves with horizontal sipes guarantee very good grip on wet and dry roads.
- The reinforced casing with 2 steel belts protects against damages and enables high loading capacities.
- Its particularly wear-resistant rubber compound provides low heat generation and a long service life.
- The variable pitch design guarantees ride comfort and low noise emission.

Technical Informations

Item number	10165540
EAN	6953913186535
Valid tyre size	215 / 70 R 15 C
LI / SI / PR	109 / 107 R, 8 PR
TL/TT	TL
Brand	Onyx
Tread pattern	NY-06
M+S	M+S
Rolling resistance	D
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 106
Nettogewicht [kg] (gültig)	12,83
Recommended rim size	6.50J
Permitted rim size	5.50J, 6J, 7J
Maximum air pressure [bar].	4,50
Section width (mm)	221
Outer diameter of tyre [mm].	683
Stat. radius (SLR) [mm]	311
Rolling circumference [mm].	2069
Tread depth (mm)	10,2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
109 R	1030	170	Single	4,50	
107 R	975	170	Twin	4,50	