

TYRES

| | |
|-----------------|-----------------|
| Product group | Tyres |
| Item number | 10366090 |
| Valid tyre size | 315 / 80 R 22.5 |
| LI / SI / PR | 156 / 151 M |
| TL/TT | TL |
| Brand | Cargopower |
| Tread pattern | CDM 123 |

Notes and features

- The CDM123 is a modern drive wheel tyre for mixed use in regional and long haul traffic.
- The special tread pattern ensures a long service life and very good traction in all weather conditions.
- Its tread rubber compound reduces fuel consumption.
- The tyre has an M+S marking.

Technical Informations

| | |
|------------------------------|-----------------|
| Item number | 10366090 |
| EAN | 4040658080982 |
| Valid tyre size | 315 / 80 R 22.5 |
| LI / SI / PR | 156 / 151 M |
| TL/TT | TL |
| Brand | Cargopower |
| Tread pattern | CDM 123 |
| M+S | M+S |
| Axle position truck | RA |
| Rolling resistance | E |
| Wet grip | C |
| Rolling noise [db]. | 73 |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 66,89 |
| Maximum air pressure [bar]. | 8,50 |
| Section width (mm) | 312 |
| Outer diameter of tyre [mm]. | 1076 |
| Rolling circumference [mm]. | 3480 |
| Tread depth (mm) | 17,5 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 156 M | 4000 | 130 | | 8,50 | |
| 151 M | 3450 | 130 | | 8,50 | |