

## **TYRES**

Product group	Tyres	
Item number	10366092	
Valid tyre size	315 / 80 R 22.5	
LI / SI / PR	156 / 151 M, 20 PR	
TL/TT	TL	
Brand	Double Happiness	
Tread pattern	DR 920	

## Notes and features

- The Double Happiness DR920 is a tyre for drive axles used in regional transport.
- Its modern rubber compound and strong casing construction ensure low rolling resistance and a long service life.
- Its closed tyre shoulder enables even wear and excellent traction at the same time.
- Special protectors prevent the penetration of small stones and protect the tyre from damages and premature wear.



## **Technical Informations**

Item number	10366092
EAN	4040658089350
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	156 / 151 M, 20 PR
TL/TT	TL
Brand	Double Happiness
Tread pattern	DR 920
M+S	M+S
Axle position truck	RA
Rolling resistance	E
Wet grip	С
Rolling noise [db].	73
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	63,46
Maximum air pressure [bar].	8,50
Section width (mm)	312
Outer diameter of tyre [mm].	1082
Stat. radius (SLR) [mm]	350
Rolling circumference [mm].	3480
Tread depth (mm)	20,5
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
156 M	4000	130	Single	8,50	
151 M	3450	130	Twin	8,50	