

## TYRES

Product group	Tyres
Item number	10436010
Valid tyre size	445 / 65 R 22.5
LI / SI / PR	169 F
TL/TT	TL
Brand	Windpower
Tread pattern	WE 77



**WINDPOWER-TYRE**  
*Get Your Job Done*

## Notes and features

- The Windpower WE77 is a versatile all-position tyre for various off-road vehicles.
- It is suitable for both towed trailers like silage trailers and manure spreaders as well as for drive axles on agro trucks.
- The tyre is characterised by its sturdiness and wear resistance.
- Its special tread pattern offers good traction when used in the field while protecting the soil and providing good grip when used on the road.
- Due to its high load capacity and its approval up to 80 km/h, it is also suitable for longer road trips.

## Technical Informations

Item number	10436010
EAN	4040658083549
Valid tyre size	445 / 65 R 22.5
Alternative size 1	18R22.5
LI / SI / PR	169 F
TL/TT	TL
Brand	Windpower
Tread pattern	WE 77
M+S	M+S
Carcass properties	POR
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	106,75
Recommended rim size	14.00
Permitted rim size	13.00
Maximum air pressure [bar].	8,20
Section width (mm)	443
Outer diameter of tyre [mm].	1149
Stat. radius (SLR) [mm]	525
Rolling circumference [mm].	3504
Tread depth (mm)	16,5
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
169 F	5800	80		8,20	