

TYRES

Product group	Tyres
Item number	10466450
Valid tyre size	435 / 50 R 19.5
LI / SI / PR	160 J, 20 PR
TL/TT	TL
Brand	Windpower
Tread pattern	HN 829



WINDPOWER TYRE
Get Your Job Done

Notes and features

- Newly-developed tread pattern with low rolling resistance.
- Low cost per mile due to long service life.
- Suitable for international long-haul transport.

Technical Informations

Item number	10466450
EAN	4040658035241
Valid tyre size	435 / 50 R 19.5
LI / SI / PR	160 J, 20 PR
TL/TT	TL
Brand	Windpower
Tread pattern	HN 829
M+S	M+S
Axle position truck	TR
Rolling resistance	D
Wet grip	C
Rolling noise [db].	73
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	70,30
Recommended rim size	14.00
Permitted rim size	13.00
Maximum air pressure [bar].	9,00
Section width (mm)	438
Outer diameter of tyre [mm].	931
Rolling circumference [mm].	2830
Tread depth (mm)	15,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
160 J	4500	100	Single	9,00	