

TYRES

Product group	Tyres
Item number	10466455
Valid tyre size	245 / 70 R 17.5
LI / SI / PR	143 / 141 J (146 / 146 F), 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WTR 69



WINDPOWER·TYRE
Get Your Job Done

Notes and features

- Modern, multifunctional trailer tyre for local, regional and long-distance transport.
- Long-life compound, flexible tread pattern for a long service life.
- Reinforced, wide tyre shoulder.

Technical Informations

Item number	10466455
EAN	4040658087899
Valid tyre size	245 / 70 R 17.5
LI / SI / PR	143 / 141 J (146 / 146 F), 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WTR 69
M+S	M+S
3PMSF	3PMSF
Axle position truck	TR
Rolling resistance	D
Wet grip	C
Rolling noise [db].	71
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	33,20
Recommended rim size	7.50
Permitted rim size	6.75
Maximum air pressure [bar].	9,00
Section width (mm)	250
Outer diameter of tyre [mm].	783
Stat. radius (SLR) [mm]	389
Rolling circumference [mm].	2388
Tread depth (mm)	11,0

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 J	2725	100	Single	9,00	
146 F	3000	80	Single	9,00	
141 J	2575	100	Twin	9,00	
146 F	3000	80	Twin	9,00	