

## TYRES

Product group	Tyres
Item number	10466456
Valid tyre size	285 / 70 R 19.5
LI / SI / PR	150 / 148 J, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WTR 69



**WINDPOWER**  
Get Your Job Done

## Notes and features

- Modern, multifunctional trailer tyre for local, regional and long-distance transport.
- Long-life compound, flexible tread pattern for a long service life.
- Reinforced, wide tyre shoulder.

## Technical Informations

Item number	10466456
EAN	4040658087905
Valid tyre size	285 / 70 R 19.5
LI / SI / PR	150 / 148 J, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WTR 69
M+S	M+S
3PMSF	3PMSF
Axle position truck	TR
Rolling resistance	D
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	41,80
Recommended rim size	8.25
Permitted rim size	7.50, 9.00
Maximum air pressure [bar].	8,30
Section width (mm)	279
Outer diameter of tyre [mm].	893
Stat. radius (SLR) [mm]	427
Rolling circumference [mm].	2724
Tread depth (mm)	14,0

E-Ready No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
150 J	3350	100	Single	8,30	
148 J	3150	100	Twin	8,30	