

TYRES

| | |
|-----------------|--------------------|
| Product group | Tyres |
| Item number | 10466463 |
| Valid tyre size | 235 / 75 R 17.5 |
| LI / SI / PR | 132 / 130 M, 16 PR |
| TL/TT | TL |
| Brand | Windpower |
| Tread pattern | WDR 09 |



WINDPOWER·TYRE
Get Your Job Done

Notes and features

- The Windpower WDR09 was developed for drive wheel tyres in regional traffic.
- Due to its wide contact area the tyre provides safety in nearly all weather conditions and a shorter braking distance.
- The tyre's special tread pattern enables even wear and a long service life.

Technical Informations

| | |
|------------------------------|--------------------|
| Item number | 10466463 |
| EAN | 4040658060960 |
| Valid tyre size | 235 / 75 R 17.5 |
| LI / SI / PR | 132 / 130 M, 16 PR |
| TL/TT | TL |
| Brand | Windpower |
| Tread pattern | WDR 09 |
| M+S | M+S |
| 3PMSF | 3PMSF |
| Axle position truck | RA |
| Rolling resistance | D |
| Wet grip | C |
| Rolling noise [db]. | 73 |
| Rolling noise level | A |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 31,90 |
| Recommended rim size | 6.75 |
| Permitted rim size | 7.50 |
| Maximum air pressure [bar]. | 8,30 |
| Section width (mm) | 236 |
| Outer diameter of tyre [mm]. | 800 |
| Stat. radius (SLR) [mm] | 365 |
| Rolling circumference [mm]. | 2440 |
| Tread depth (mm) | 17,0 |

| | |
|---------|----|
| E-Ready | No |
|---------|----|

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 132 M | 2000 | 130 | Single | 8,30 | |
| 130 M | 1900 | 130 | Twin | 8,30 | |