

TYRES

Product group	Tyres
Item number	10466463
Valid tyre size	235 / 75 R 17.5
LI / SI / PR	132 / 130 M, 16 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WDR 09



WINDPOWER
Get Your Job Done

Notes and features

- The Windpower WDR09 was developed for drive wheel tyres in regional traffic.
- Due to its wide contact area the tyre provides safety in nearly all weather conditions and a shorter braking distance.
- The tyre's special tread pattern enables even wear and a long service life.

Technical Informations

Item number	10466463
EAN	4040658060960
Valid tyre size	235 / 75 R 17.5
LI / SI / PR	132 / 130 M, 16 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WDR 09
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	C
Rolling noise [db].	73
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	31,90
Recommended rim size	6.75
Permitted rim size	7.50
Maximum air pressure [bar].	8,30
Section width (mm)	236
Outer diameter of tyre [mm].	800
Stat. radius (SLR) [mm]	365
Rolling circumference [mm].	2440
Tread depth (mm)	17,0

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
132 M	2000	130	Single	8,30	
130 M	1900	130	Twin	8,30	