

## TYRES

Product group	Tyres
Item number	10466470
Valid tyre size	245 / 70 R 17.5
LI / SI / PR	136 / 134 M, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WSR 24



**WINDPOWER·TYRE**  
*Get Your Job Done*

## Notes and features

- The Windpower WSR 24 is a modern front axle and trailer tyre for local and distribution traffic.
- It provides excellent grip, even on wet road roads and has low rolling resistance.
- The tyre is particularly low-wearing due to its special tread pattern and is characterised by a long service life.

## Technical Informations

Item number	10466470
EAN	4040658089886
Valid tyre size	245 / 70 R 17.5
LI / SI / PR	136 / 134 M, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WSR 24
M+S	M+S
3PMSF	3PMSF
Axle position truck	FA
Rolling resistance	D
Wet grip	B
Rolling noise [db].	73
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	33,70
Recommended rim size	7.50
Permitted rim size	6.75
Maximum air pressure [bar].	9,00
Section width (mm)	245
Outer diameter of tyre [mm].	785
Stat. radius (SLR) [mm]	358
Rolling circumference [mm].	2394
Tread depth (mm)	13,0

E-Ready

No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
136 M	2240	130	Single	9,00	
134 M	2120	130	Twin	9,00	