

TYRES

Product group	Tyres
Item number	10466471
Valid tyre size	265 / 70 R 19.5
LI / SI / PR	143 / 141 J, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WSR 75



Bohnenkamp
■ ■ ● Moving Professionals

WINDPOWER·TYRE
Get Your Job Done

Notes and features

- The Windpower WSR 75 is a truck tyre for drive axles for use in local and regional transport.
- It is characterized by excellent handling on dry and wet roads.
- Its tread pattern drains water and prevents aquaplaning reliably.

Technical Informations

Item number	10466471
EAN	4040658095795
Valid tyre size	265 / 70 R 19.5
LI / SI / PR	143 / 141 J, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WSR 75
M+S	M+S
3PMSF	3PMSF
Axle position truck	FA
Rolling resistance	C
Wet grip	C
Rolling noise [db].	71
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	38,17
Recommended rim size	7.50
Permitted rim size	8.25
Maximum air pressure [bar].	8,30
Section width (mm)	259
Outer diameter of tyre [mm].	866
Stat. radius (SLR) [mm]	403
Rolling circumference [mm].	2641
Tread depth (mm)	13,0

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 J	2725	100	Single	8,30	
141 J	2575	100	Twin	8,30	