

## TYRES

Product group	Tyres
Item number	10466556
Valid tyre size	295 / 80 R 22.5
LI / SI / PR	152 / 149 L, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WDW 80



Bohnenkamp  
Moving Professionals

**WINDPOWER**  
Get Your Job Done

## Notes and features

- Winter drive wheel tyre with reliable grip and traction.
- Extra-wide, deep tread pattern bed / open tyre shoulder.
- Excellent self-cleaning properties.
- Tread compound adapted to winter use.
- Reduced operating costs due to long-life compound.
- Retreadable casing.

## Technical Informations

Item number	10466556
EAN	4040658058882
Valid tyre size	295 / 80 R 22.5
LI / SI / PR	152 / 149 L, 18 PR
TL/TT	TL
Brand	Windpower
Tread pattern	WDW 80
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	F
Wet grip	C
Rolling noise [db].	76
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	71,30
Recommended rim size	9.00
Permitted rim size	8.25
Maximum air pressure [bar].	9,00
Section width (mm)	298
Outer diameter of tyre [mm].	1062
Stat. radius (SLR) [mm]	499
Rolling circumference [mm].	3239
Tread depth (mm)	24,0
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
152 L	3550	120	Single	9,00	
149 L	3250	120	Twin	9,00	