

TYRES

Product group	Tyres
Item number	10626106
Valid tyre size	250 / 85 R 24
LI / SI / PR	109 D / 106 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

Technical Informations

Item number	10626106
EAN	3286340562119
Valid tyre size	250 / 85 R 24
Alternative size 1	9.5R24
LI / SI / PR	109 D / 106 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	36,95
Recommended rim size	8
Permitted rim size	7
Maximum air pressure [bar].	1,60
Section width (mm)	245
Outer diameter of tyre [mm].	1038
Stat. radius (SLR) [mm]	465
Rolling circumference [mm].	3114
Tread depth (mm)	37,0
Number of lugs	20x2
Tyre capacity 75% [ltr.]	61.5
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
109 D	1030	65		1,60	
106 E	950	70		1,60	