

## TYRES

Product group	Tyres
Item number	10626146
Valid tyre size	380 / 85 R 24
LI / SI / PR	131 D / 128 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85



Bohnenkamp  
■ ■ ● Moving Professionals

## Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

## Technical Informations

Item number	10626146
EAN	3286340562515
Valid tyre size	380 / 85 R 24
Alternative size 1	14.9R24
LI / SI / PR	131 D / 128 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	70,50
Recommended rim size	13
Permitted rim size	11, 12
Maximum air pressure [bar].	1,60
Section width (mm)	403
Outer diameter of tyre [mm].	1257
Stat. radius (SLR) [mm]	564
Rolling circumference [mm].	3771
Tread depth (mm)	43,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	180
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
131 D	1950	65		1,60	
128 E	1800	70		1,60	