

TYRES

| | |
|-----------------|---------------|
| Product group | Tyres |
| Item number | 10626146 |
| Valid tyre size | 380 / 85 R 24 |
| LI / SI / PR | 131 D / 128 E |
| TL/TT | TL |
| Brand | Firestone |
| Tread pattern | Performer 85 |



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

Technical Informations

| | |
|------------------------------|---------------|
| Item number | 10626146 |
| EAN | 3286340562515 |
| Valid tyre size | 380 / 85 R 24 |
| Alternative size 1 | 14.9R24 |
| LI / SI / PR | 131 D / 128 E |
| TL/TT | TL |
| Brand | Firestone |
| Tread pattern | Performer 85 |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | not necessary |
| Nettogewicht [kg] (gültig) | 70,50 |
| Recommended rim size | 13 |
| Permitted rim size | 11, 12 |
| Maximum air pressure [bar]. | 1,60 |
| Section width (mm) | 403 |
| Outer diameter of tyre [mm]. | 1257 |
| Stat. radius (SLR) [mm] | 564 |
| Rolling circumference [mm]. | 3771 |
| Tread depth (mm) | 43,0 |
| Number of lugs | 19x2 |
| Tyre capacity 75% [ltr.] | 180 |
| Guarantee period | 10 years |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 131 D | 1950 | 65 | | 1,60 | |
| 128 E | 1800 | 70 | | 1,60 | |