

TYRES

Product group	Tyres
Item number	10626436
Valid tyre size	460 / 85 R 38
LI / SI / PR	149 D / 146 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

Technical Informations

Item number	10626436
EAN	3286340564113
Valid tyre size	460 / 85 R 38
Alternative size 1	18.4R38
LI / SI / PR	149 D / 146 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	144,10
Recommended rim size	16
Permitted rim size	15
Maximum air pressure [bar].	1,60
Section width (mm)	496
Outer diameter of tyre [mm].	1761
Stat. radius (SLR) [mm]	793
Rolling circumference [mm].	5283
Tread depth (mm)	50,0
Number of lugs	21x2
Tyre capacity 75% [ltr.]	421.5
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
149 D	3250	65		1,60	
146 E	3000	70		1,60	