

TYRES

Product group	Tyres
Item number	10626452
Valid tyre size	IF 650 / 85 R 38
LI / SI / PR	179 D / 176 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction



Notes and features

- Agricultural tyre for high-performance tractors.
- Very good traction in fields.
- Excellent ride comfort on the road.
- Very low soil compaction.

Technical Informations

Item number	10626452
EAN	3286340546416
Valid tyre size	IF 650 / 85 R 38
LI / SI / PR	179 D / 176 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	333,40
Recommended rim size	23
Maximum air pressure [bar].	2,40
Section width (mm)	703
Outer diameter of tyre [mm].	2067
Stat. radius (SLR) [mm]	918
Rolling circumference [mm].	6105
Tread depth (mm)	63,0
Number of lugs	21x2
Tyre capacity 75% [ltr.]	879
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
179 D	7750	65		2,40	
176 E	7100	70		2,40	