

## TYRES

Product group	Tyres
Item number	10626635
Valid tyre size	420 / 70 R 24
LI / SI / PR	130 D / 127 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70



Bohnenkamp  
■ ■ ● Moving Professionals

## Notes and features

- Unique double-angle lug technology.
- Large ground contact area due to stronger deflection and flatter tread pattern contour.
- Increased ride comfort.

## Technical Informations

Item number	10626635
EAN	3286340341318
Valid tyre size	420 / 70 R 24
LI / SI / PR	130 D / 127 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	74,70
Recommended rim size	13
Permitted rim size	12, 14
Maximum air pressure [bar].	1,60
Section width (mm)	421
Outer diameter of tyre [mm].	1246
Stat. radius (SLR) [mm]	560
Rolling circumference [mm].	3738
Tread depth (mm)	41,0
Number of lugs	18x2
Tyre capacity 75% [litr.]	198
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
130 D	1900	65		1,60	
127 E	1750	70		1,60	