

TYRES

Product group	Tyres
Item number	10626675
Valid tyre size	380 / 70 R 28
LI / SI / PR	127 D / 124 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Unique double-angle lug technology.
- Large ground contact area due to stronger deflection and flatter tread pattern contour.
- Increased ride comfort.

Technical Informations

Item number	10626675
EAN	3286340341615
Valid tyre size	380 / 70 R 28
LI / SI / PR	127 D / 124 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	65,80
Recommended rim size	12
Permitted rim size	11, 13
Maximum air pressure [bar].	1,60
Section width (mm)	387
Outer diameter of tyre [mm].	1294
Stat. radius (SLR) [mm]	583
Rolling circumference [mm].	3882
Tread depth (mm)	39,5
Number of lugs	20x2
Tyre capacity 75% [ltr.]	177
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
127 D	1750	65		1,60	
124 E	1600	70		1,60	