

TYRES

Product group	Tyres
Item number	10626696
Valid tyre size	480 / 70 R 28
LI / SI / PR	151 A8 / 151 B
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70 XL



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Unique double-angle lug technology.
- Large ground contact area due to stronger deflection and flatter tread pattern contour.
- Increased ride comfort.

Technical Informations

Item number	10626696
EAN	3286340413114
Valid tyre size	480 / 70 R 28
LI / SI / PR	151 A8 / 151 B
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70 XL
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	126,17
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	3,20
Section width (mm)	501
Outer diameter of tyre [mm].	1448
Stat. radius (SLR) [mm]	652
Rolling circumference [mm].	4374
Tread depth (mm)	46,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	287.25
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
151 A8	3450	40		3,20	
151 B	3450	50		3,20	