

TYRES

Product group	Tyres
Item number	10626735
Valid tyre size	480 / 70 R 34
LI / SI / PR	143 D / 140 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Unique double-angle lug technology.
- Large ground contact area due to stronger deflection and flatter tread pattern contour.
- Increased ride comfort.

Technical Informations

Item number	10626735
EAN	3286340346313
Valid tyre size	480 / 70 R 34
LI / SI / PR	143 D / 140 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	145,00
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	1,60
Section width (mm)	487
Outer diameter of tyre [mm].	1592
Stat. radius (SLR) [mm]	718
Rolling circumference [mm].	4776
Tread depth (mm)	47,5
Number of lugs	21x2
Tyre capacity 75% [ltr.]	340.5
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 D	2725	65		1,60	
140 E	2500	70		1,60	