

TYRES

Product group	Tyres
Item number	10626745
Valid tyre size	520 / 70 R 34
LI / SI / PR	148 D / 145 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70



Notes and features

- Unique double-angle lug technology.
- Large ground contact area due to stronger deflection and flatter tread pattern contour.
- Increased ride comfort.

Technical Informations

Item number	10626745
EAN	3286340346412
Valid tyre size	520 / 70 R 34
LI / SI / PR	148 D / 145 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 70
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	153,00
Recommended rim size	16
Permitted rim size	15, 18
Maximum air pressure [bar].	1,60
Section width (mm)	524
Outer diameter of tyre [mm].	1643
Stat. radius (SLR) [mm]	737
Rolling circumference [mm].	4929
Tread depth (mm)	49,5
Number of lugs	20x2
Tyre capacity 75% [ltr.]	391.5
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
148 D	3150	65		1,60	
145 E	2900	70		1,60	