

## TYRES

Product group	Tyres
Item number	10627112
Valid tyre size	480 / 65 R 24
LI / SI / PR	133 D / 130 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65



## Notes and features

- Agricultural tyre for high-performance tractors.
- Very good traction in fields.
- Excellent ride comfort on the road.
- Very low soil compaction.

## Technical Informations

Item number	10627112
EAN	3286340894913
Valid tyre size	480 / 65 R 24
LI / SI / PR	133 D / 130 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	87,74
Recommended rim size	15
Permitted rim size	14
Maximum air pressure [bar].	1,60
Section width (mm)	473
Outer diameter of tyre [mm].	1237
Stat. radius (SLR) [mm]	557
Rolling circumference [mm].	3702
Tread depth (mm)	44,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	218.25
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 D	2060	65		1,60	
130 E	1900	70		1,60	