

## TYRES

Product group	Tyres
Item number	10627132
Valid tyre size	440 / 65 R 28
LI / SI / PR	131 D / 128 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65



## Notes and features

- Agricultural tyre for high-performance tractors.
- Excellent ride comfort on the road.
- Very good traction in fields.
- Very low soil compaction.

## Technical Informations

Item number	10627132
EAN	3286340894517
Valid tyre size	440 / 65 R 28
LI / SI / PR	131 D / 128 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	81,91
Recommended rim size	14
Permitted rim size	13, 15
Maximum air pressure [bar].	1,60
Section width (mm)	436
Outer diameter of tyre [mm].	1277
Stat. radius (SLR) [mm]	583
Rolling circumference [mm].	3834
Tread depth (mm)	42,5
Number of lugs	20x2
Tyre capacity 75% [ltr.]	193.5
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
131 D	1950	65		1,60	
128 E	1800	70		1,60	