

## TYRES

Product group	Tyres
Item number	10627142
Valid tyre size	480 / 65 R 28
LI / SI / PR	136 D / 133 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65



## Notes and features

- Agricultural tyre for high-performance tractors.
- Very good traction in fields.
- Excellent ride comfort on the road.
- Very low soil compaction.

## Technical Informations

Item number	10627142
EAN	3286340895217
Valid tyre size	480 / 65 R 28
LI / SI / PR	136 D / 133 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	97,83
Recommended rim size	15
Permitted rim size	14
Maximum air pressure [bar].	1,60
Section width (mm)	466
Outer diameter of tyre [mm].	1333
Stat. radius (SLR) [mm]	601
Rolling circumference [mm].	3999
Tread depth (mm)	43,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	240
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
136 D	2240	65		1,60	
133 E	2060	70		1,60	