

## TYRES

Product group	Tyres
Item number	10627179
Valid tyre size	540 / 65 R 30
LI / SI / PR	150 D / 147 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65



Bohnenkamp  
■ ■ ■ Moving Professionals

## Notes and features

- Agricultural tyre for high-performance tractors.
- Very good traction in fields.
- Excellent ride comfort on the road.
- Very low soil compaction.

## Technical Informations

Item number	10627179
EAN	3286341921519
Valid tyre size	540 / 65 R 30
LI / SI / PR	150 D / 147 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	134,86
Recommended rim size	16
Permitted rim size	18
Maximum air pressure [bar].	2,40
Section width (mm)	526
Outer diameter of tyre [mm].	1459
Stat. radius (SLR) [mm]	658
Rolling circumference [mm].	4374
Tread depth (mm)	45,0
Number of lugs	20x2
Tyre capacity 75% [litr.]	333.75
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
150 D	3350	65		2,40	
147 E	3075	70		2,40	