

TYRES

Product group	Tyres
Item number	10627202
Valid tyre size	600 / 65 R 34
LI / SI / PR	151 D / 148 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65



Notes and features

- Agricultural tyre for high-performance tractors.
- Very good traction in fields.
- Excellent ride comfort on the road.
- Very low soil compaction.

Technical Informations

Item number	10627202
EAN	3286340897815
Valid tyre size	600 / 65 R 34
LI / SI / PR	151 D / 148 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	170,03
Recommended rim size	18
Permitted rim size	20
Maximum air pressure [bar].	1,60
Section width (mm)	590
Outer diameter of tyre [mm].	1639
Stat. radius (SLR) [mm]	737
Rolling circumference [mm].	4923
Tread depth (mm)	53,5
Number of lugs	20x2
Tyre capacity 75% [ltr.]	463.5
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
151 D	3450	65		1,60	
148 E	3150	70		1,60	