

## TYRES

Product group	Tyres
Item number	10627347
Valid tyre size	270 / 95 R 48
LI / SI / PR	158 A2 / 144 D
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 95



Bohnenkamp  
■ ■ ● Moving Professionals

## Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

## Technical Informations

Item number	10627347
EAN	3286340604215
Valid tyre size	270 / 95 R 48
LI / SI / PR	158 A2 / 144 D
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 95
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	100,00
Recommended rim size	9
Permitted rim size	8, 10
Maximum air pressure [bar].	4,00
Section width (mm)	270
Outer diameter of tyre [mm].	1736
Stat. radius (SLR) [mm]	820
Rolling circumference [mm].	5345
Tread depth (mm)	33,0
Number of lugs	37x2
Tyre capacity 75% [ltr.]	155.25
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
158 A2	4250	10		4,00	
144 D	2800	65		4,00	