

TYRES

Product group	Tyres
Item number	10627349
Valid tyre size	340 / 85 R 48
LI / SI / PR	165 A2 / 151 D
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85



Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

Technical Informations

Item number	10627349
EAN	3286340604314
Valid tyre size	340 / 85 R 48
LI / SI / PR	165 A2 / 151 D
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	119,00
Recommended rim size	12
Permitted rim size	11
Maximum air pressure [bar].	3,60
Section width (mm)	342
Outer diameter of tyre [mm].	1799
Stat. radius (SLR) [mm]	851
Rolling circumference [mm].	5531
Tread depth (mm)	40,0
Number of lugs	31x2
Tyre capacity 75% [ltr.]	214.5
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
165 A2	5150	10		3,60	
151 D	3450	65		3,60	