

## **TYRES**

Product group	Tyres	
Item number	10745028	
Valid tyre size	155 / 70 R 12 C	
LI / SI / PR	104 / 102 N	
TL/TT	TL	
Brand	Cheng Shin	
Tread pattern	Trailermaxx ECO CL-31N	



## Notes and features

- The Trailermaxx ECO CL-31N is a tyre for car trailers and caravans.
- The low rolling resistance and optimised tyre weight ensure low fuel consumption.
- Thanks to its high tread pattern depth, the tyre is very durable



## **Technical Informations**

Item number	10745028
EAN	6933882542013
Valid tyre size	155 / 70 R 12 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	Cheng Shin
Tread pattern	Trailermaxx ECO CL-31N
Rolling resistance	С
Wet grip	В
Rolling noise [db].	72
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	7,52
Recommended rim size	4.5
Permitted rim size	4.0, 5.0
Maximum air pressure [bar].	6,50
Section width (mm)	157
Outer diameter of tyre [mm].	523
Rolling circumference [mm].	1649
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 N	900	140	Single	6,50	
102 N	850	140	Twin	6,50	