

TYRES

| | |
|-----------------|-----------------|
| Product group | Tyres |
| Item number | 10745030 |
| Valid tyre size | 185 / 60 R 12 C |
| LI / SI / PR | 104 / 101 N |
| TL/TT | TL |
| Brand | Trailermaxx |
| Tread pattern | CR-966 |



Notes and features

- Specifically for trailers and caravans.
- Reinforced construction.
- Maximum comfort and smoothness.
- Maximum safety due to load capacity reserves.

Technical Informations

| | |
|------------------------------|-----------------|
| Item number | 10745030 |
| EAN | 4717784233710 |
| Valid tyre size | 185 / 60 R 12 C |
| LI / SI / PR | 104 / 101 N |
| TL/TT | TL |
| Brand | Trailermaxx |
| Tread pattern | CR-966 |
| M+S | M+S |
| Rolling resistance | D |
| Wet grip | B |
| Rolling noise [db]. | 72 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 7,70 |
| Recommended rim size | 5.50 |
| Maximum air pressure [bar]. | 6,50 |
| Section width (mm) | 185 |
| Outer diameter of tyre [mm]. | 527 |
| Stat. radius (SLR) [mm] | 240 |
| Rolling circumference [mm]. | 1597 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 104 N | 900 | 140 | | 6,50 | |
| 101 N | 825 | 140 | | 6,50 | |