

TYRES

Product group	Tyres	
Item number	10765030	
Valid tyre size	225 / 55 R 12 C	
LI / SI / PR	104 N, 8 PR	
TL/TT	TL	
Brand	Trailermaxx	
Tread pattern	CR-966	





Notes and features

- Specifically for trailers and caravans.
- Reinforced construction.

- Maximum comfort and smoothness.
- Maximum safety due to load capacity reserves.



Technical Informations

Item number	10765030
EAN	4717784201290
Valid tyre size	225 / 55 R 12 C
LI / SI / PR	104 N, 8 PR
TL/TT	TL
Brand	Trailermaxx
Tread pattern	CR-966
M+S	M+S
Rolling resistance	С
Wet grip	В
Rolling noise [db].	69
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	9,10
Recommended rim size	7.001
Maximum air pressure [bar].	5,30
Section width (mm)	232
Outer diameter of tyre [mm].	554
Stat. radius (SLR) [mm]	255
Rolling circumference [mm].	1679
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 N	900	140		5,30	