

TYRES

Product group	Tyres
Item number	10926484
Valid tyre size	270 / 80 R 36
LI / SI / PR	134 A8 / 131 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 90



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 90 is a modern row crop tyre for driving on row crops.
- The rounded lugs and lug shoulders effectively protect crops.
- The tyre is characterised by its excellent traction, high load capacity as well as excellent ride comfort at speeds up to 50 km/h.

Technical Informations

Item number	10926484
EAN	8059971055627
Valid tyre size	270 / 80 R 36
LI / SI / PR	134 A8 / 131 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 90
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	49,80
Recommended rim size	9
Permitted rim size	W8, W10
Maximum air pressure [bar].	4,00
Section width (mm)	270
Outer diameter of tyre [mm].	1345
Stat. radius (SLR) [mm]	623
Speed Radius Index (SRI)	650
Rolling circumference [mm].	4015
Tread depth (mm)	33,0
Number of lugs	23x2
Lug width (mm)	31-39
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
134 A8	2120	40		4,00	
131 B	1950	50		4,00	